

251 184

OFFICE OF NAVAL RESEARCH

Contract N00014-91-J-1758

R&T Code 4135026---01



Technical Report No. 4

Laser Dye Spectroscopy of Some Pyrromethene-BF2 Complexes

by

T. G. Pavlopoulos, J. H. Boyer, K. Thangaraj, G. Sathyamoorthi, M. P. Shah, and M.-L. Soong

Submitted to

Applied Optics

U.S. Naval Ocean Systems Center San Diego, CA 92152

and

Department of Chemistry University of New Orleans New Orleans, LA 70148-2820

June 2, 1992

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

92-15264

92 6 10

 ~ 8

REPORT C	N PAGE		Form Approved OMB No. 0704-0188			
1a. REPORT SECURITY CLASSIFICATION Unclassified		16. RESTRICTIVE MARKINGS				
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT				
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		Distribution unlimited				
4. PERFORMING ORGANIZATION REPORT. NUMBER(S)		S. MONITORING ORGANIZATION REPORT NUMBER(S)				
64. NAME OF PERFORMING ORGANIZATION	66. OFFICE SYMBOL	73. NAME OF MONITORING ORGANIZATION				
University of New Orleans	(If applicable)	Office of Naval Research				
6c. ADDRESS (City, State, and 2IP Code)		7b. ADDRESS (City, State, and ZIP Code)				
University of New Orleans New Orleans, LA 70148		Department of the Navy Arlington, VA 22217				
8a. NAME OF FUNDING/SPONSORING ORGANIZATION (If applicable) Office of Naval Research		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-91-J-1758				
Bc. ADDRESS (Ciry, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS				
Department of the Navy Arlington, VA 22217		PROGRAM ELEMENT NO		TASK NO	WORK UNIT ACCESSION NO.	
11. TITLE (Include Security Classification)						
Laser Dye Spectroscopy of Some Pyrromethene-BF Complexes						
12. PERSONAL AUTHOR(S) T. Pavlopoulos, J. H. Boyer, K. Thangaraj, G. Sathyamoorthi, M. P. Shah, and ML. Soong						
13a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT Technical FROM TO June 2, 1992						
16. SUPPLEMENTARY NOTATION Submitted to Applied Optics						
17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP Laser dyes, pyrromethene-BF, complexes, flash lamp						
excitation, photoselection spectroscopy.						
19. ABSTRACT (Continue on reverse if necessary and identify by block number)						
See attached						
20. DISTRIBUTION AVAILABILITY OF ABSTRACT	ont Disassin		URITY CLASSIFICAT	ION		
Ø UNCLASSIFIED/UNLIMITED ☐ SAME AS F 223., NAME OF RESPONSIBLE INDIVIDUAL Joseph H. Boyer	IPT. OTIC USERS	Unclassif 226. TELEPHONE (1 (504)286-7	nclude Area Code)	22c. OF	FICE SYMBOL	
DD 500- 1472 UIN 96		<u> </u>	4441.01.01			

Laser Dye Spectroscopy of Some Pyrromethene-BF₂Complexes

To improve the laser-action properties of the pyrromethene-BF₂ complexes (P-BF₂ complexes), we studied substitution effects at different positions of the dye molecule on the electronic spectra of several derivatives. Specifically, we used laser photoselection spectroscopy to measure the triplet-triplet (T-T) absorption and polarization spectra as well as the fluorescence and visible absorption (S-S) spectra of the following compounds: 1,2,3,5,6,7,8-heptamethyl; 8-acetoxymethyl-1,3,5,7-tetramethyl-2,6-diethyl; 1,3,5,7-tetramethyl-8-p-methoxyphenyl; 3,5-dimethyl-1,7-diphenyl; and 1,3,5,7,8-pentamethyl-2,6-diphenyl $P-BF_2$ complexes. The 1,3,5,7-tetramethyl P-BF₂ complex itself exhibits weak T-T absorption, which stretches from the green to the near IR spectral region. This band consists of two overlapping (differently polarized) T-T transitions. Short molecular axis (i.e., 8- and 1,7-positions) substitution causes the positively polarized T-T transition to gain considerably in intensity. Significantly, the negatively, long-axis polarized T-T transition was unaffected by the long-axis 2,6-position disubstitution. Therefore, only 2,6-position disubstitution is expected to produce superior new P-BF₂ complex laser dyes. Substitution effects from strongly interacting groups with chromophores on singlet-singlet (S-S) as well as T-T absorption spectra, together with cw laser photoselection spectroscopy, are briefly reviewed.



Aceas	ion for			
NTIS	CEANI	100		
Dric s	48	ō		
Waningo	un ∉eå	Ō		
Justif	isation_			
Dy				
Distri	bution/			
Avail	ability	Cedes		
7	Avail and	/or		
Dist	Special			
A-1]				
:				